

Sturtle2.0

High protection Easy handling Fast application



The perfect product to secure your merchandise while simplifying your in-house product handling and speeding up internal processes.

The new TURTLE 2.0 only generates an alarm if needed.





The anti-theft device TURTLE 2.0 will be attached to your merchandise:

Two areas of application in one anti-theft devise

- TURTLE 2.0 protects your strapped products (application with packing strap)
- TURTLE 2.0 protects your promotion samples (application with adhesive tape)

Packing strap - simple affixing

- Application on any kind of straps (loose, single or crossed)
- Secures your package from unauthorized opening or theft

Adhesive tape – simple residue free application

• Secures your promotion samples or packages. Easily applied and taken off through removable adhesive tape. Your merchandise remains as good as new because there are no adhesive residues left.











Generates alarm if needed

• Innovative technology ensures alarm at the right time. No false alarms due to in-house product handling or loose straps → in-house handling made easy

Highly secure - highly deterrent

- · High deterrent due to prealarm when lightly manipulated
- · New intelligent and optical sensor ensures highest reliability and security
- 3-Level alarm system provides triple protection of your merchandise

Simplified and fast processes

- Fast and easily applied and taken off → saves time in the sales area and in the warehouse
- Speeds up the cashier process due to easy and fast removal
- More time for your staff to service your customers due to no cable tangling (in comparison to spider)

Optimized presentation of your goods


- No restriction when products are stacked → gain of shelf space
- Attractive product presentation







3-Level alarm system for triple protection



If required it provides alarm on three levels:

- 1st Alarm at the EAS gate when passing the EAS gate (AM or RF)
- 2nd Prealarm of the TURTLE 2.0 by slight sliding or lifting
- **2**nd Full alarm of the TURTLE 2.0 by stronger manipulation or incorrect removal
- 3rd Self-alarm of the TURTLE 2.0 when passing the EAS gate (AM or RF)

Technical specifications

- Magnet strength: Super magnet >9000 Gauss
 Optional: Standard magnet >4500 Gauss
- Battery lifetime: 3 years / replaceable CR2450 battery
- Alarm volume: >95dB
- Alarm duration: Full alarm for 5 minutes
 Prealarm: 3 short beeps
- AM (58kHz) / RF (8.2MHz)
- Dimensions (L/W/H): 70mm / 53mm / 30mm
- Low battery warning: Long lasting beep
- Color: Black
- Blister package free of charge for easy in-house relocation
- Packaging: 4 blister boxes of 25 pieces in one cardboard box
- Patented



1st + 2 nd AM with straps or adhesive tape SI8S TURTLE 2.0B2AM-1 1st + 2 nd RF with straps or adhesive tape SI8S TURTLE 2.0B2AF-1 1st + 2 nd + 3 nd AM with straps or adhesive tape SI8S TURTLE 2.0B3AM-1 1st + 2 nd + 3 nd AM with straps or adhesive tape SI8S TURTLE 2.0B3AM-1	larm type	EAS system	Application	ltem number
$1^{st} + 2^{nd}$ RF with straps or adhesive tape SI8S TURTLE 2.0B2RF-1 $1^{st} + 2^{nd} + 3^{rd}$ AM with straps or adhesive tape SI8S TURTLE 2.0B3AM-1	+ 2nd	A.N.4	with strans or adhesive tane	CIOC THIRTHE 2 ARRAM 1
	_		· ·	
1st Light Light DE COST LIGHT CORPORATION OF Adhering type Cost TILDT CORPORATION	+ 2 nd + 3 rd	AM	with straps or adhesive tape	SI8S TURTLE 2.0B3AM-1
1" + 2" + 3" RF With straps of authenvie tabe Si85 TORTLE 2.0B3RF-1	+ 2 nd + 3 rd	RF	with straps or adhesive tape	SI8S TURTLE 2.0B3RF-1